

Combi steamer compact D 6110

Bartscher



► Up to 6 x 1/1 GN



► Electronic control with 99 programs, each program with up to 9 cooking phases



► Double door glazing, inner door can be opened easily for cleaning



► Vapour extractor is easy to regulate



► Bearing rails can be detached



► Fan speed, 3 levels

► From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar.

- Equipment connection: 3 NAC
- Power load: 6,9 kW | 400 V | 50/60 Hz
- Temperature range: 50 °C to 280 °C
- Control unit: Electronic
- Fan speed: 3 levels
- Number of cooking programs: 99
- Number of cooking phases: 9
- Type of drawers: Longitudinal
- Number of drawers: 6
- Number of motors: 1
- Series: Bartscher Kompakt D
- Distance between trays: 60 mm
- Interior lighting: Yes
- Format drawers: 1/1 GN
- Operating mode: Electro
- Temperature control: Stepless
- Material: Chrome-nickel steel
- With cleaning system: No
- Water connection: 3/4"
- Functions: Circulating air, Steam, Combi-steaming, Low temperature cooking, Delta-T cooking, Regeneration program, Fast cooling
- Time adjustment: 0 to 120 minutes
- Material cooking chamber: Chrome-nickel steel

- LED display: Steaming, Cooking phases, Core temperature, Fan speed, Program, Temperature, Time, yes
- Control lamp: yes
- Available on request: Combi steamer with right door hinge side
- Including: 1 grille 1/1 GN, 1 tray 1/1 GN, Grease filter, 1 PVC drainpipe, 1 water supply hose
- Continuous operation: Yes
- Vapour extractor: Yes
- Important information: From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- USB connection: Frontal
- Core temperature sensor connection: Frontal
- Properties: Double-winged door pane, Bearing rails can be detached, Socket (500 W) for connection of an extractor hood
- Rack control: No
- Size: W 520 x D 850 x H 770 mm
- Weight: 72 kg

Combi steamer compact D 6110

Add on Products

Core temperature sensor set



- Set comprises: 1 core temperature sensor
1 holder
- Length cable: 1,8 m
- Material temperature sensor: Stainless steel
- Important information: -
- Size: W 180 x D 265 x H 25 mm
- Weight: 0.57 kg

Code-No. 116009
GTIN 4015613595139

Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"
- Material: Plastic
Metal
- Size: W 2,160 x D 75 x H 30 mm
- Weight: 1 kg

Code-No. 116005
GTIN 4015613587189


Grill plate



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783

Connection kit Kompakt



- Size frame: W 525 x D 735 x H 75 mm
- Combination possibilities: 6 x 1/1 GN to 6 x 1/1 GN
6 x 1/1 GN to 10 x 1/1 GN
- Material: Stainless steel
- Important information: -
- Set comprises: 1 frame
4 feet
1 pipe and holding plate for vapour extraction
1 connection hose
Attachment circlips
Screws

Code-No. 117100
GTIN 4015613632452

Combi steamer compact D 6110

Add on Products

GN container, 1/1, D100, perforated

CNS
18/10



- Content: 14 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Important information: -

Code-No. A101100
GTIN 4016098175236

Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Size: W 530 x D 325 x H 35 mm
- Weight: 3.55 kg

Code-No. 150687
GTIN 4015613711423

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head
1 spray lance
- Important information: Attention: Not suitable for surfaces sensitive to alkali such aluminium
Exclusively available in Germany and Austria

Code-No. 173080
GTIN 4015613731933

Combi steamer compact D 6110

Add on Products

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 200 x D 300 x H 35 mm
- Weight: 0.23 kg

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 220 x D 370 x H 35 mm
- Weight: 0.28 kg

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 235 x D 420 x H 35 mm
- Weight: 0.36 kg

Code-No. A500512
GTIN 4015613735481

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm
- Material: Cotton 100 % (exterior)
- Important information: Do not wash to maintain flame protection
- Size: W 230 x D 600 x H 35 mm
- Weight: 0.51 kg

Code-No. A500513
GTIN 4015613735498

Combi steamer compact D 6110

Add on Products


Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.55 kg

Code-No. 100428
GTIN 4015613734767

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Edge: 4 sides, cover
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.48 kg

Code-No. 100427
GTIN 4015613734750

Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium
- Important information: -
- Size: W 530 x D 325 x H 10 mm
- Weight: 0.69 kg

Code-No. 100426
GTIN 4015613734743

Toast tongs 100

STAINLESS
STEEL



- Material: Stainless steel
- Important information: -
- Size: W 101 x D 340 x H 70 mm
- Weight: 0.24 kg

Code-No. A151301
GTIN 4015613753119