## lincat





OE8108/OP - Lincat Opus 800 Electric Freestanding Single Tank Fryer with Pumped Filtration - 2 Baskets - W 600 mm - 22.0 kW

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Two stage filtration extends oil life by up to 75% and so reducing oil costs
- Oil can be filtered during or after service even whilst hot

An accurate Opus 800 Single-Tank Free Standing Electric Fryer which comes with a pumped oil filter system.

- Hinged, lift out element, with safety interlock for easy tank access and cleaning
- Supplied with a hose and lance for easy discharge of used oil into a container

## **Specifications**

| Summary  |   | Power and Performance   |  |
|--|---|---|--|
| Brand<br>Range<br>Power Type<br>Unit Type<br>Available in UK Only                                  | Lincat<br>Opus 800<br>Electric<br>Free-standing<br>No                           | Total Power kW<br>Temperature Range °C<br>IP Rating<br>Temperature Control  | 22.0<br>90-190<br>IP24<br>Mechanical                         |
| UK Warranty<br>Export Warranty<br>GTIN   | 2 Years Parts and Labour Warranty<br>Contact your local dealer<br>5056105102939 |   |  |
| Key Specifications   |   | Capacity  |  |
| Number of Baskets<br>Number of Tanks<br>Gravity Filtration<br>Pumped Filtration<br>Drain Location  | 2<br>1<br>No<br>Yes<br>Through the body   | Product Output per Hour<br>Capacity Litres  | 50.2kg chips - 12mm [frozen], 65.5kg<br>chips - 12mm<br>36.5 |
| Weights and Dimensions   |   | Supply Connections  |  |
| Unit Height (External) mm<br>Unit Width (External) mm<br>Unit Depth (External) mm<br>Net Weight Kg | 1070<br>600<br>800<br>102.1   | Requires Installation<br>Requires Electrical Supply<br>UK 3 Pin Plug<br>Requires Hardwiring<br>Electrical Supply Rating Watts | Yes<br>Yes<br>No<br>Yes<br>22,000                            |
|  |   | Three Phase Amps  | L1/L2/L3= 31.8 [1 cab]; L1/L2/L3= 2 x 15.9<br>[2 cab]        |

Shipping

| Packed Weight Kg | 112.31 |
|------------------|--------|
| Packed Height cm | 122    |
| Packed Width cm  | 70     |
| Packed Depth cm  | 85     |

## **Available Accessories**

BA83 Product Code: 0E8108/0P RASKET SMALL

Three Phase Voltage

400





### Available Accessories


LK02


OPUS 350 LEG KIT


OA8954

SPLASHGUARD FOR OPUS 800 ELECTRIC FRYERS

## **Technical Picture**







lincat



# Lincat fift

#### Lincat Limited

Whisby Road, Lincoln, LN6 30,Z

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

#### **Export Customers**

Tel: +44 1522 875536

Email: export@lincat.co.uk

#### **Opening Hours**

Monday – Friday: 8.30am – 5pm